

TE Internal #: 5051494-1

SHV RF Interface, Jack, Bayonet, .3 GHz Operating Frequency,

Cable-to-Board, 1 Position, Wire & Cable, Panel Mount, Solder,

Straight, Brass, Silver

View on TE.com >



#### Connectors > RF Connectors > Coax Connectors











RF Interface: SHV

RF Connector Style: Jack

RF Connector Mated Outer Diameter (Approximate): 12.7 mm [.5 in ]

RF Connector Coupling Mechanism: Bayonet

Operating Frequency: .3 GHz

## **Features**

## Product Type Features

RF Interface	SHV
RF Connector Style	Jack
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

## **Configuration Features**

Number of Positions	1
Number of Coaxial Contacts	1

## **Body Features**

Cable Connector Orientation	Straight
Body Material	Brass
Body Plating Material	Silver

### **Contact Features**



RF Connector Center Contact Plating Material	Gold
RF Connector Center Contact Material	Brass
Termination Features	
Termination Method to Wire & Cable	Solder
Mechanical Attachment	

#### Mechanical Attachment

Panel Mount Feature Type	Lockwasher and Nut
RF Connector Coupling Mechanism	Bayonet
Connector Mounting Type	Panel Mount
RF Contact Captivation Method	Mechanical
Detent	Without

### **Dimensions**

Panel Thickness (Recommended)	4.75 mm[.187 in]
RF Connector Mated Outer Diameter (Approximate)	12.7 mm[.5 in]

# Operation/Application

Operating Frequency	.3 GHz

# Packaging Features

Packaging Method	Carton	

### Other

Dielectric Material	PTFE	

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)  Candidate List Declared Against: JUNE 2023 (235)  SVHC > Threshold:  Pb (3.7% in Component Part)  Article Safe Usage Statements:  Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR