

Monorail Faders for Audio Mixers Slide Potentiometers

Japan

Type: **EVANH/EVANJ/EVANK**
EVBNH/EVBNJ/EVBNK




■ Features

- Excellent operational feel and highly dustproof construction
- Compact design: body height=13.5 mm, width=15.0 mm, direct mounting on the horizontal PWB available (solder lug-types available)
- Highly-accurate attenuation characteristics
- Long sliding life: 100000 cycles

■ Recommended Applications

- Fade control for audio mixers
- Cross fader for DJ mixers

■ Explanation of Part Numbers



■ Specifications

	Taper		
	Taper A	Taper B	Others
Power Rating	100.0 mm Type	0.5 W	0.25 W
	60.0 mm Type	0.2 W	0.1 W
	45.0 mm Type	0.2 W	0.1 W
Max. Operating Voltage: 30 Vac			
Resistance *	10 kΩ, 20 kΩ	±20 %	+40 % -20 %
Taper *	A, B, D, Y		
Maximum Attenuation	100 dB min.		
Operating Force	0.1 N to 1.0 N		
Operating Life	100000 cycles min.		
Minimum Quantity/Packing Unit	60 pcs. (Tray Pack)		
Quantity/Carton	300 pcs.		

* Custom specifications negotiable


Notes:

1. Custom design for Lever Style also negotiable
2. 45.0 mm travel type also available (External dimensions same as 60.0mm type)


Design and specifications are each subject to change without notice. Ask factory for the current technical specifications before purchase and/or use. Should a safety concern arise regarding this product, please be sure to contact us immediately.

■ Dimensions in mm (not to scale)

- 100.0 mm Travel, Single EVANH
- Dual EVBNH



- 60.0 mm Travel, Single EVANJ
- Dual EVBNJ



- 45.0 mm Travel, Single EVANK
- Dual EVBNK

